

DATENBLATT

KAB-USB-A-F-USB-A-M-1000SW



ES&S Solutions GmbH
Gewerbering 2
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0
Fax: +49 (0)2162-266-18-88
E-Mail: info@esskabel.de

www.esskabel.de

BESCHREIBUNG

Dieses Kabel ist geeignet um eine USB-Leitung zu verlängern und eine USB-Buchse an einem Gehäuse zu befestigen. Es ist in vielen verschiedenen Längen lagernd verfügbar und kann auch auf Kundenwunsch konfektioniert werden.

TECHNISCHE DATEN:

- Seite 1: USB Typ A female (Buchse) mit Flansch UNC4/40 Gewinde
- Seite 2: USB Typ A male
- Leitung 1P+2C+2B, AWG24+28, schwarz, L = 1000 mm
- [UL 2725](#)
- Gewicht: 52 g

Dieses Kabel ist in weiteren Längen verfügbar:

KAB-USB-A-F-USB-A-M-0500SW (L = 500 mm)

KAB-USB-A-F-USB-A-M-1800SW (L = 1800 mm)

KAB-USB-A-F-USB-A-M-1800SW (L = 3000 mm)

ES&S Solutions GmbH
Gewerbering 2
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0
Fax: +49 (0)2162-266-18-88
E-Mail: info@esskabel.de

www.esskabel.de

Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support

BILDER



ES&S Solutions GmbH
Gewerbering 2
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0
Fax: +49 (0)2162-266-18-88
E-Mail: info@esskabel.de

www.esskabel.de

Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support