

## DATENBLATT

# LTG-07/0.127-XXP-VX10-SV/20276.OKI



ES&S Solutions GmbH  
Gewerbering 2  
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0  
Fax: +49 (0)2162-266-18-88  
E-Mail: [info@esskabel.de](mailto:info@esskabel.de)

[www.esskabel.de](http://www.esskabel.de)

**Disclaimer:** In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support

## BESCHREIBUNG

Hochflexible geschirmte LVDS Spezialleitung mit extra kleinem Durchmesser, RoHS konform.

Diese Leitung ist speziell für LVDS Anwendungen geeignet. Sehr kleine Crimpkontakte, beispielsweise der Serien : JAE FI-X und HIROSE DF19-2830SCFA und viele weitere können verarbeitet werden.

## TECHNISCHE DATEN:

- 5 bis 50 Paare (10 bis 100 polig )
- alle Adern paarig verseilt
- komplett geschirmt
- PVC Mantel 0.9 mm nominal, RoHS frei
- Farbe grau
- Aussendurchmesser 5.2 mm bei 5 Paaren bis 9.9 mm bei 50 Paaren
- Aderdicke 0.58 mm
- [UL 20276](#)

Zu beziehen als Meterware oder als eine unserer kundenspezifischen Kabelkonfektionen. Gerne unterbreiten wir Ihnen Ihr individuelles Angebot.

Aktuell lieferbar sind Leitungen mit folgender Anzahl an Paaren:

LTG-07/0.127-05P-VX10-SV/20276.OKI (5 Paare)  
LTG-07/0.127-08P-VX10-SV/20276.OKI (8 Paare)  
LTG-07/0.127-10P-VX10-SV/20276.OKI (10 Paare)  
LTG-07/0.127-13P-VX10-SV/20276.OKI (13 Paare)  
LTG-07/0.127-18P-VX10-SV/20276.OKI (18 Paare)  
LTG-07/0.127-20P-VX10-SV/20276.OKI (20 Paare)  
LTG-07/0.127-25P-VX10-SV/20276.OKI (25 Paare)  
LTG-07/0.127-34P-VX10-SV/20276.OKI (34 Paare)

ES&S Solutions GmbH  
Gewerbering 2  
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0  
Fax: +49 (0)2162-266-18-88  
E-Mail: [info@esskabel.de](mailto:info@esskabel.de)

[www.esskabel.de](http://www.esskabel.de)

Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support

## BILDER



ES&S Solutions GmbH  
Gewerbering 2  
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0  
Fax: +49 (0)2162-266-18-88  
E-Mail: info@esskabel.de

[www.esskabel.de](http://www.esskabel.de)

**Disclaimer:** In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support