

DATENBLATT

LTG-07/0.127-XXP-VX10-SV/20276.OKI



ES&S Solutions GmbH
Gewerbering 2
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0
Fax: +49 (0)2162-266-18-88
E-Mail: info@esskabel.de

www.esskabel.de

Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support

BESCHREIBUNG

high flexible shielded special LVDS cable with extra small outer diameter, RoHS compliant.

This wire allows to assemble very small crimp contacts of the series: JAE FI-X-C3-1-15000 and HIROSE DF19-2830SCFA.

TECHNICAL SPECIFICATIONS:

- 5 up to 50 pairs (10 up to 100 pins)
- all wires twisted pair
- shielded
- PVC jacket
- color grey
- outer diameter cable 5.2 mm with 5 pairs up to 9.9 mm with 50 pairs
- outer diameter single wire 0.58 mm
- [UL 20276](#)

This cable is available in a customized version or by the meter. We are looking forward to submit you our individual quotation.

This wire is available with the following numbers of pairs:

LTG-07/0.127-05P-VX10-SV/20276.OKI (5 pairs)
LTG-07/0.127-08P-VX10-SV/20276.OKI (8 pairs)
LTG-07/0.127-10P-VX10-SV/20276.OKI (10 pairs)
LTG-07/0.127-13P-VX10-SV/20276.OKI (13 pairs)
LTG-07/0.127-18P-VX10-SV/20276.OKI (18 pairs)
LTG-07/0.127-20P-VX10-SV/20276.OKI (20 pairs)
LTG-07/0.127-25P-VX10-SV/20276.OKI (25 pairs)
LTG-07/0.127-34P-VX10-SV/20276.OKI (34 pairs)

ES&S Solutions GmbH
Gewerbering 2
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0
Fax: +49 (0)2162-266-18-88
E-Mail: info@esskabel.de

www.esskabel.de

Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support

BILDER



ES&S Solutions GmbH
Gewerbering 2
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0
Fax: +49 (0)2162-266-18-88
E-Mail: info@esskabel.de

www.esskabel.de

Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support