

DATENBLATT

KAB-USB-CM-USB-B-MICRO-F-0150RK



ES&S Solutions GmbH
Gewerbering 2
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0
Fax: +49 (0)2162-266-18-88
E-Mail: info@esskabel.de

www.esskabel.de

Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support

BESCHREIBUNG

USB C ... die nächste USB Evolution! USB C ist der neue Universalstandard der Zukunft und wird bereits von etlichen Herstellern von Notebooks, Digitalkameras, Festplatten, Smartphones und vielen weiteren Peripheriegeräten unterstützt.

Hier eine Übersicht zu den maximalen Datenübertragungsraten der unterschiedlichen USB-Anschlüsse:

- Low Speed: USB 1.0 -> 1,5 Mbit/s
- Full Speed USB 1.1 -> 12 Mbit/s
- Hi-Speed: USB 2.0 -> 480 Mbit/s

Micro-USB Typ B ist aktuell der Standard für die Lade- und Datenbuchse der meisten Smartphones. Mit diesem Kabel können Sie Ihr Smartphone, oder Ihr Micro-B-fähiges Gerät, wesentlich schneller aufladen, Fotos, Musik und Daten schneller und sicherer übertragen.

Technische Daten:

- Seite 1: USB 3.1 Typ C, male
- Seite 2: USB 2.0 Micro Typ B, female
- USB Kabel: UL2725, AWG30/AWG32/AWG24, Schwarz
- OD = 3,0 mm, L = 150 mm
- MOQ = 500 Stk.
- Gewicht: 7,1 g

Vorteile des Typ C-Steckers:

- schnelle und sichere Verbindungsgeschwindigkeit
- kompatibel mit Thunderbolt™ 3
- lässt sich beliebig einstecken und ist so wesentlich variabler in der Anwendung

Sie haben kundenspezifische Wünsche? Kein Problem. Gerne fertigen wir diesen Artikel nach Ihren Vorstellungen.

ES&S Solutions GmbH
Gewerbering 2
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0
Fax: +49 (0)2162-266-18-88
E-Mail: info@esskabel.de

www.esskabel.de

Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support

BILDER



ES&S Solutions GmbH
Gewerbering 2
41751 Viersen, Germany

Telefon: +49 (0)2162-266-18-0
Fax: +49 (0)2162-266-18-88
E-Mail: info@esskabel.de

www.esskabel.de

Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support