

DATENBLATT

USB 2.0 Typ B mit Flansch

KAB-USB-B-F-USB-B-M-90°-0500RK



BESCHREIBUNG

Hier bieten wir Ihnen ein USB 2.0 Anschlusskabel an, mit einem USB Typ B female Stecker mit Flansch, auf einen um 90° nach rechts abgewinkelten USB Typ B male Stecker. Die Standardlänge der Rundleitung beträgt 500 mm. Der Lochabstand des Flanschmaßes beträgt 29,5 mm.

Technische Daten:

-
- Seite 1: USB 2.0 Typ B, female; mit Flansch

 - Seite 2: USB 2.0 Typ B, male; 90° nach rechts abgewinkelt

 - USB Kabel: UL2725, AWG28/AWG24, schwarz

 - OD = 4,5 mm, L = 500 mm

Die Standardlänge diese Kabels beträgt 500 mm, weitere Längen können wir jederzeit für Sie konfektionieren. Muster sind ebenfalls ab Lager für Sie verfügbar.

Sie haben weitere kundenspezifische Wünsche? Kein Problem. Gerne fertigen wir diesen Artikel nach Ihren Vorstellungen. Melden Sie sich einfach bei uns, wir beraten Sie gerne. Schauen Sie sich auch weitere [USB Lösungen](#) von uns an.

FOTOS



DISCLAIMER

In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support