

## DATENBLATT

# ADA-SATA-USB3-B-REV-1



## BESCHREIBUNG

Here we present the mini vertical adapter SATA III Drive to USB 3.0 Motherboard.

Connect the adapter to the back of the SATA storage device. The adapter supports any type of SATA devices: SSD, DVD, DVD-RAM, MO, CD-ROM, CD-RW, Hard Disk etc. ... Turn your SATA hard disk or SATA CD-ROM drive into a USB 3.0 device.

## TECHNICAL SPECIFICATIONS:

- USB 3.0 Type B upstream connector on board
- mini vertical Bridge Board for 2.5" and 3.5" drive
- SATA drive 12V & 5V power from PC power supply through 15 pin SATA power connector
- supports SATA III, SATA II and SATA I drive
- supports USB 3.0 and USB 2.0 main board
- compliant with Universal Serial Bus 3.0 Specification Revision 1.0
- supports SuperSpeed (5 Gbps), HighSpeed (480 Mbps), FullSpeed (12 Mbps), and LowSpeed (1.5 Mbps) transaction
- compliant with Serial ATA Specification Revision 2.6
- supports Serial ATA transfer rate of 6.0 Gbps, ATA/ATAPI Packet Command Set and ATA/ATAPI LBA 48 addressing mode
- pin header on board for accessing LED
- write protect function prevent the data writing to SATA drive
- fully RoHS compliant
- dimension: 70 (l) x 14 (w) x 26 (h) (in mm)
- operating temperature: 0 °C to 60 °C
- weight: 25.4 g

## BILDER

