



BESCHREIBUNG

This cable set allows a quick and easy connection between a display with a STM connector P2407P30 or PK2407P30 (compatible with JAE series FI-X or FI-XHL) and any graphics board connector of the Hirose series DF13, 20-, 30- or 40-pin.

We supply a 26-pin round cable with two connectors P2407P30 or PK2407P30 on side 1. Three Hirose connectors DF13-20DS-1.25C, DF13-30DS-1.25C, DF13-40DS-1.25C for the second side are included. The cable has mounted crimp contacts on both sides and will be supplied unplugged.

The connectors can easily be assembled according to your cable layouts to achieve an optimum function and allocation of the pairs to the signal structures.

The cable is especially suited for samples, the prototype construction or very small series.

Technical specifications:

-
- side 1: STM P2407P30 und PK2407P30 (compatible with FI-X und FI-XHL series)
-
- side 2: DF13-20DS-1.25C, DF13-30DS-1.25C, DF13-40DS-1.25C
-
- both sides unplugged, 26-pin, highly flexible round cable, twin stranded, AWG28, shielded, length = 500 mm
-
- weight: 34 g
-

Advantages:

-
- small quantities available from stock
-
- individual assembling on both sides possible
-

- different lengths available on short notice
- shielded
- with twisted pair
- suitable for LVDS
- this cable will be supplied unplugged on both sides including matching connector housings!

We can also offer samples of the complete assembled ready-to-use cable set (on one or on both sides according to your cable layouts). Please contact us. We would be pleased to submit you our non-binding offer.

This cable fits to the following pin headers:

FI-XB30SRL-HF11, FI-X30S-HF-NPB, A1006-WR-S-30P, CNTH243A30123, CNT243A3011, CNT243C3011, GS23302, MDF76K-30S-1H, GT101-30S-H16, 915-001-1008R, 093G30-B0001A, 093E30-000220-G4, 093F30-B0B01A, IP100-C30B-C15, IS100-C30B-C15, IS100-L300-C23, FI-X30C2L, MSBK240TP3, HS100-L30N-N23, A1252WV-SF2X20PD01

The following displays will be supported:

G215HVN01.0, M156BGE-L10, IAQS80, IAQS80F, IAQX10, IAQX10M, LB064V02, LB064V02, LB064V02-A1, LB104V03, LB104V03-A1, LB104V3, LC230W02, LC230W02-A5K1, LC230WX3, LC260WX2, LC300W01-A3, LC300W01-A5, LC320W01, LC370W01-A5, LC370WX1, LC420W02, LC420W02-AK, LC420WX5, LC550W01, LM170E01, LM170E01-A5, LM170E01-LTA1, LM170E02, LM170E03, LM171W02, LM181E06-A4M1/D4, LM190E01-C4, LM190E02-A4, LM190E03, LM190E03-B4, LM190E05, LM190E05-SL02/03, LM190E06, LM190E08, LM190E3-B4K1, LM190WX1, LM201U02-A3M1, LM201U03-A3, LM201U04, LM201U04-A3, LM201U05, LM201W01, LM201WE03, LM201WE2, LM220WE1, LM260WU1, LM300W01-A3, LM300WQ3, LP133WX1, LP133WX2, LP141WX1, LP141WX3, LP150E05/E06, LP150X08, LP150X09, LP154W01, LP154WP1, LP154WX4, LP171WP4, LQ190E1LX31, LQ201U1LW21, LQ255T3LZ19, LQ315T3LZ28, LQ315T3LZ49, LTM170E6-L04, LTM170EU, LTM170EU-L01, LTM170EU-L21, LTM190E1, LTM190E1-L01/L03, LTM190E4-L01, LTM190EX, LTM190EX-L01, LTM190M2, LTM213U6, LTM213U6-L01, LTM240M1, LTM240M2, LTM300M1, N150P2-L04, N150P3-L04, N150U3, N150X4-L01, N150X4-L14, NL128102BC29-01, NL128102BM29-05A, NL12810BC29-10,

NL10276BC24-19D, T216XW01, LC200WX1, T260XW01VM, LQ197V3DZ89, LTM170ET01, CLAA102NA0BCW, G190EG02 V0, LQ070Y3LG4A, LQ121S1LG71, LB121S03-TL03, M240HW01 V6, LC170WXN, G240HW01-V0, G190EG01-V1, NL6448BC33-71D, FG100451DSSWNG01, AA090MF11_02_00, G150XTN06.1_rev1.0, TCG104SVLQ-PNN-AN-37, TCG104SVLQ*PNN-AN*37, T-55787GD104J-LW-AGN, LQ156M3LW01, NL192108AC18-02D, G150XTN06.1_rev1.0, G240HW01, AM-1280800J3TZQW-00, AM-800480D2TMQW-TA0H, LQ185M3LW01, NL12880AC20-20D, NL12880AC20-14D, NL12880AC20, G104XVN01.0, OT104EXWDLV-H1, OT104KXWDLV-00, G121EAN01.0, G121EAN01.1, G121EAN01.2, G121I1-L01, OT121ABWDLT-03, OT121ABWDLV-H0, OT121ZBWDLV-00, LQ121K1LG59, G150XTN06.1, G151EVN01.0, G156HAN02.1, G156XTN01.0, G156XTT01.1, G156XW01 V1, G156XW01 V3, OT156CBWDLT-00, LQ156M3LW01, G170EG01 V1, G170ETN02.0, LB170E01-SL01, G173HW01 V0, G185HAN01.0, G185XW01 V0, G185XW01 V1, M185XTN01.2, G190EAN01.0, G190EAN01.1, G190EAN01.2, G190EG01 V1, G190EG02 V1, G190ETN01, G190SF01 V0, M190PW01 V8, LB190E02-SL02, LB190E02-SL03, LB190E02-SL04, LQ190E1LW52, LQ190E1LW72, LQ190E1LX75, LQ190N1LW01, G220SVN01.0, G230HAN01.1, LM230WF3-SLD1, G238HAN01.0, G238HAN01.1, G238HAN01.2, LM238WF1-SLE1, G240HW01 V0, G240HW01 V1, LM240WU8-SLE1, LM240WUA-SSA1, LM270WF5-SLN2, CLAA104XA02CW, CLAA104XA01CW, CLAA104XA12BW, G156XTT01 V1, G185XW01 V201, G185XW01 V2, G240HW01 V0, G215HVN01.0, AM-1024768FTMQW-05H, LQ190E1LW02, ETML1010K6DHA, EJ101IA-01G, EJ101IA-01D, DV215FHM-NN0, G215HAN01.3, G215HCJ-L01, EV238FHM-N11, MV230FHM-N10, MI210UT-1, ETML1210G0DRA, NL10276AC30-53D, NL128102AC29-17, LM215WFA, G215HVN01.3

Compatible connectors:

P-TWO 196479-40041-3

The following board will be supported:

NUC5I5MYBE-INTEL NUC BOARD, D3544

FOTOS



DISCLAIMER

In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support