

## **BESCHREIBUNG**

This wiring harness allows a quick and easy connection between a display with a connector of the HIROSE DF-14 series and any graphics board. We supply a ribbon cable with 10 assembled crimp contacts, configuration 1:1. The second side is unprocessed. This cable is suited for samples and very small series.

### **Advantages:**

- 
- available from stock
  - customized assembling possible
  - color coded
  - standardized grid
  - defined impedance
- 

### **Technical specifications:**


- 
- side 1: DF14-10S-1.25C, 10-pin
  - side 2: unprocessed
  - wire: ribbon cable, color coded, AWG28, UL2651, L = 500 mm
  - operating temperature: -20 °C to 85 °C
  - weight: 9.2 g
- 

We can also offer samples of assembled parts as well as complete, ready-to-use wiring harnesses. Please contact us for more information. We would be pleased to submit you our non-binding offer.

This cable fits to the following pin headers:

12505WR-10A00, 12507WR-10L, DF14-10P-1.25H, STM P2404 SerieP - 2404PS-2

## FOTOS



## **DISCLAIMER**

In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support