

DATENBLATT

KAB-USB-A-M-USB-B-M-2000-LOCK-2



BESCHREIBUNG

USB Typ A male Buchse und einen 2000 mm langen Anschlusskabel an USB Typ B male und Verriegelung auf beiden Seiten.

TECHNISCHE DATEN:

- Seite 1: USB Typ A male mit Verriegelung
- Seite 2: USB Typ B male mit Verriegelung
- USB 2.0 kompatibel
- geschirmt, paarig verdreht
- Rundleitung 28+28 AWG 1P+2C+2B, schwarz
- L = 2000 mm
- RoHS konform
- [UL 2725](#)

NACHTEILE:

- Der Stecker passt auf 99% aller Standard Buchsen. Einige Buchsen Hersteller haben eine geänderte Bauform, in diesem Fall verriegelt der Male Stecker nicht!

Sie benötigen dieses USB Kabel in einer anderen Länge? Kein Problem: 1000 und 3000 mm Varianten liegen im Lager für Sie bereit und sind direkt verfügbar (Bestell-Nr.: KAB-USB-A-M-USB-B-M-1000-LOCK-2 bzw. KAB-USB-A-M-USB-B-M-3000-LOCK-2). Darüber hinaus sind kundenspezifische Längen jederzeit auf Anfrage möglich. Kontaktieren Sie uns gerne!

BILDER



Disclaimer: In the absence of confirmation by device specification sheets, ES&S Solutions GmbH takes no responsibility for any defects that occur in equipment using any of ES&S's devices, shown in catalogs, data books, etc. Contact ES&S in order to obtain the latest device specification sheets before using any ES&S's device. ES&S reserves the right to make changes in the specifications, characteristics, data, materials, structures and other contents described herein at any time without notice in order to improve design or reliability. Contact ES&S in order to obtain the latest specification sheets before using any ES&S's device. Manufacturing locations are also subject to change without notice. Observe the following points when using any device in this publication. ES&S takes no responsibility for damage caused by improper use of the devices. ES&S's devices shall not be used for equipment that requires extremely high level of reliability, such as: -Military and space applications -Nuclear power control equipment -Medical equipment for life support